

Attorney's Docket No.:16793-002001

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1-6. (Canceled)

7. (Previously Presented) A method comprising:

marking a first portion of a first connector used to supply a first type of electricity, by blocking one of the pins of the first connector,

marking a corresponding location of a second connector which mates with the first connector, but is used with a second type of electricity, which is incompatible with said first type of electricity, by forming a protruding portion in a corresponding area to the blocked location, thereby preventing the second connector used for the second type of electricity from being inserted into the first connector used for the first type of electricity,

wherein each of the first and second connectors have a plurality of pins, and where the first connector is a female connector and the second connector is a male connector,

wherein each of the first and second connectors have a spare pin which is not used for electrical connection, and said first portion of the first connector and said corresponding

Attorney's Docket No.:16793-002001

portion of the second connector use an area of said spare pin,
and

wherein the connector is substantially round, and the spare
pin is in the center.

8. (Canceled)

9. (Previously Presented) A method comprising:

marking a first portion of a first connector used to supply
a first type of electricity, by blocking one of the pins of the
first connector;

marking a corresponding location of a second connector
which mates with the first connector, but is used with a second
type of electricity, which is incompatible with said first type
of electricity, by forming a protruding portion in a
corresponding area to the blocked location, thereby preventing
the second connector used for the second type of electricity
from being inserted into the first connector used for the first
type of electricity,

wherein each of the first and second connectors have a
plurality of pins, and where the first connector is a female
connector and the second connector is a male connector, and

wherein said blocking comprises inserting a plug into said
first connector to block an area of said first connector from

Attorney's Docket No.:16793-002001

allowing any plug to be inserted into said area, and said marking comprises inserting a pin into said second connector in a spot corresponding to said area, to cause the location of said second connector to protrude from said area.

10-15. (Canceled)